

Impact of cluster thinning on Merlot and Cabernet Sauvignon (*Vitis vinifera* L.) must quality

Mesić, Josip; Obradović, Valentina; Marčetić, Helena; Svitlica, Brankica; Malčić, Ivan; Soldo, Tomislav

Source / Izvornik: **Zbornik radova 55. hrvatski i 15.međunarodni simpozij agronoma, 2020, 506 - 509**

Conference paper / Rad u zborniku

Publication status / Verzija rada: **Published version / Objavljena verzija rada (izdavačev PDF)**

Permanent link / Trajna poveznica: <https://urn.nsk.hr/urn:nbn:hr:112:869770>

Rights / Prava: [In copyright](#) / [Zaštićeno autorskim pravom.](#)

Download date / Datum preuzimanja: **2025-02-05**



VELEUČILIŠTE U POŽEGI
STUDIA SUPERIORA POSEGANA

Repository / Repozitorij:

[Repository of Polytechnic in Pozega - Polytechnic in Pozega Graduate Thesis Repository](#)



DIGITALNI AKADEMSKI ARHIVI I REPOZITORIJI



Hrvatski 55
Croatian

2020

sa

15
International
Symposium on
Agriculture
Međunarodni
Simpozij
Agronoma

February 16 - 21, 2020
16.-21. veljače 2020.
Croatia / Hrvatska
Vodice, Olympia Sky Hotel

Proceedings
Zbornik radova

20 20
Croatian 55
sa
15
International
Symposium on
Agriculture

Proceedings

55
Hrvatski
15
Medunarodni
Simpozij
Agronoma

Zbornik radova

Impressum

Izdavač Published by	Sveučilište u Zagrebu, Agronomski fakultet, Zagreb, Hrvatska University of Zagreb, Faculty of Agriculture, Zagreb, Croatia
Glavni urednici – Editors in Chief	Boro Mioč Ivan Širić
Uređivački odbor – Editorial Board	Aleksandra Perčin Josip Juračak Hrvoje Šarčević Nina Toth Darko Uher Daniel Matulić Miljenko Konjačić Marko Karoglan Goran Fruk Vanja Jurišić
Tehnički urednici – Technical Editors	Ivan Širić Darija Bendelja Ljoljić
Oblikovanje, prijelom Design, typeset	Martin Šok, www.martinsok.com
Tisak Print	Grafomark d.o.o., Zagreb
Naklada – Edition	40

ISSN 2459-5543

Web page <http://sa.agr.hr>

*Službeni jezici Simpozija su hrvatski i engleski.
The official languages of the Symposium are Croatian and English.*

Sveučilište u Zagrebu Agronomski fakultet

i

Fakultet agrobiotehničkih znanosti, Sveučilište Josipa Jurja Strossmayera u Osijeku
Balkan Environmental Association B.E.N.A
Agronomski i prehrambeno-tehnološki fakultet Sveučilišta u Mostaru, Bosna i Hercegovina
Akademija poljoprivrednih znanosti
Biotehniška fakulteta Univerze v Ljubljani, Slovenija
Fakulteta za kmetijstvo in biosistemske vede, Univerza v Mariboru, Slovenija
Hrvatska agronomska komora
ICA Regional Network for Central and South Eastern Europe (CASEE)
Sveučilište Josipa Jurja Strossmayera u Osijeku
Sveučilište u Zagrebu
Sveučilište u Zagrebu Prehrambeno-biotehnoški fakultet
Sveučilište u Zagrebu Šumarski fakultet

pod pokroviteljstvom

Ministarstva znanosti i obrazovanja Republike Hrvatske
Ministarstva poljoprivrede Republike Hrvatske
Ministarstva zaštite okoliša i energetike Republike Hrvatske

a u suradnji s

Alltech Hrvatska
Bc Institutom za oplemenjivanje i proizvodnju bilja
Gradskim uredom za poljoprivredu i šumarstvo Grada Zagreba
Hrvatskim agronomskim društvom, Zagreb
Hrvatskim lovačkim savezom
Hrvatskom agencijom za poljoprivredu i hranu, Osijek
Hrvatskom gospodarskom komorom
Institutom za jadranske kulture i melioraciju krša, Split
Institutom za poljoprivredu i turizam, Poreč
Poljoprivrednim institutom Osijek
Sveučilištem u Zadru
Šibensko-kninskom županijom
Veleučilištem u Požegi
Veleučilištem u Slavonskom Brodu
Visokim gospodarskim učilištem u Križevcima

organiziraju

55. hrvatski i 15. međunarodni simpozij agronoma
16. - 21. veljače 2020. godine, Vodice, Hrvatska



Impressum

University of Zagreb Faculty of Agriculture

and

Faculty of Agrobiotechnical Sciences, Josip Juraj Strossmayer University of Osijek
Balkan Environmental Association B.E.N.A
Faculty of Agriculture and Food Technology, University of Mostar, Bosnia and Herzegovina
Academy of Agricultural Sciences
Biotechnical Faculty, University of Ljubljana, Slovenia
Faculty of Agriculture and Life Sciences, University of Maribor, Slovenia
Croatian Chamber of Agriculture
The ICA Regional Network for Central and South Eastern Europe (CASEE)
“Josip Juraj Strossmayer“ University of Osijek
University of Zagreb
University of Zagreb Faculty of Food Technology and Biotechnology
University of Zagreb Faculty of Forestry

under the patronage of the

Ministry of Science and Education of the Republic of Croatia
Ministry of Agriculture of the Republic of Croatia
Ministry of Environment and Energy of the Republic of Croatia

in collaboration with

Alltech Croatia
Bc Institute for breeding and seed production
City Office for Agriculture and Forestry, City of Zagreb
Croatian Agronomy Society, Zagreb
Croatian Hunting Federation
Croatian Agency for Agriculture and Food, Osijek
Croatian Chamber of Economy
Institute of Adriatic Crops and Karst Reclamation, Split
Institute of Agriculture and Tourism, Poreč
Agricultural Institute Osijek
University of Zadar
Šibenik-Knin County
College of Požega
College of Slavonski Brod
College of Agriculture at Križevci

organize

55th Croatian & 15th International Symposium on Agriculture
February 16 – 21, 2020. Vodice, Croatia



Organizacijski odbor
Organizing Committee

Predsjednik | Chairman

Zoran Grgić, Croatia

Članovi | Members

Krunoslav Zmaić, Croatia
Ivan Ostojić, Bosnia and Hercegovina
Frane Tomić, Croatia
Mariana Golumbeanu, Greece
Michal Lostak, Czech
Marijana Ivanek Martinčić, Croatia
Emil Erjavec, Slovenia
Branko Kramberger, Slovenia
Josip Haramija, Croatia
Ivan Širić, Croatia
Vlado Guberac, Croatia
Damir Boras, Croatia
Dijana Vican, Croatia
Blaženka Divjak, Croatia
Marija Vučković, Croatia
Tomislav Ćorić, Croatia
Emil Tuk, Croatia
Jadranka Frece, Croatia
Tibor Pentek, Croatia
Krunoslav Dugalić, Croatia
Luka Burilović, Croatia
Krunoslav Mirosavljević, Croatia
Borislav Miličević, Croatia
Zdravko Barać, Croatia
Katja Žanić, Croatia
Dean Ban, Croatia
Goran Pauk, Croatia
Zvonimir Zdunić, Croatia
Zdravko Tušek, Croatia
Lovorka Blažević, Croatia
Josip Jukić, Croatia
Ivica Ikić, Croatia
Đuro Dečak, Croatia
Ivica Matanić, Croatia
Darija Bendelja Ljoljić, Croatia

Znanstveni odbor
Scientific Committee

Predsjednik | Chairman

Darko Vončina

Članovi | Members

Adrijana Filipović
Aleksandra Perčin
Branka Svitlica
Črtimir Rozman
Daniel Matulić
Darko Uher
Dinko Jelkić
Dragan Kovačević
Goran Fruk
Hrvoje Šarčević
Ivana Rukavina
Josip Juračak
Marko Karoglan
Mato Drenjančević
Metka Hudina
Miljenko Konjačić
Mirjana Hruškar
Mirta Rastija
Nina Toth
Pero Mijić
Siniša Srečec
Slaven Zjalić
Smiljana Goreta Ban
Sonja Petrović
Sonja Vila
Teuta Benković Lačić
Tihana Sudarić
Tihomir Florijančić
Tomislav Vinković
Vanja Jurišić
Vladimir Ivezić
Vlatka Rozman
Yusuf Kurucu
Zdravko Mataton
Zvonko Antunović

Tajnik | Secretary

Boro Mioč

Sekcije . Sessions

Sekcija . Session		Voditelj sekcije Session moderators
0	Plenarna izlaganja Plenary Session	
1	Agroekologija, ekološka poljoprivreda i zaštita okoliša Agroecology, Ecological Agriculture and Environment Protection	Doc.dr.sc. Aleksandra Perčin
2	Agroekonomika i ruralni razvoj Agricultural Economics and Rural Development	Doc.dr.sc. Josip Juračak
3	Genetika, oplemenjivanje bilja i sjemenarstvo Genetics, Plant Breeding and Seed Production	Prof.dr.sc. Hrvoje Šarčević
4	Povrčarstvo, ukrasno, aromatično i ljekovito bilje Vegetable Growing, Ornamental, Aromatic and Medicinal Plants	Prof.dr.sc. Nina Toth
5	Ratarstvo Field Crop Production	Izv.prof.dr.sc. Darko Uher
6	Ribarstvo, lovstvo i pčelarstvo Fisheries, Wildlife Management and Apiculture	Doc.dr.sc. Daniel Matulić
7	Stočarstvo Animal Husbandry	Izv.prof.dr.sc. Miljenko Konjačić
8	Vinogradarstvo i vinarstvo Viticulture and Enology	Izv.prof.dr.sc. Marko Karoglan
9	Voćarstvo Pomology	Doc.dr.sc. Goran Fruk
10	Poljoprivredna tehnika Agricultural Engineering	Doc.dr.sc. Vanja Jurišić

Contents

Session 0 | **Plenary Session**

- 3 **Minja Zorc, Peter Dovč**
| Advances in lactation biology

Session 1 | **Agroecology, Ecological Agriculture and Environment Protection**

- 11 **Ivan Širić, Valentino Držaić, Ivica Kos, Dalibor Bedeković, Bojana Božac, Rina Petric**
| Bioakumulacijski potencijal poljske pečurke *Agaricus campestris* L.
| Bioaccumulation potential of field mushroom *Agaricus campestris* L.
- 16 **Helena Žalac, Vladimir Zebec, Miro Stošić, Domagoj Radić, Andrea Špoljarić, Jurica Jović, Ivan Paponja, Vladimir Ivezić**
| Buckwheat yields in intercropped systems of walnut and buckwheat
| Prinos heljde u konsocijaciji nasada oraha i heljde
- 21 **Violina Angelova**
| Uptake of heavy metals by enhanced tobacco grown in industrially polluted soils in Bulgaria
- 27 **Domina Delač, Ivica Kisić, Paulo Pereiraz**
| Dynamics of runoff pH and electrical conductivity after pile burns
- 33 **Renata Erhatic, Ivka Kvaternjak, Branimir Jambrišak, Mirjana Mužić**
| Sadržaj mikroelemenata u listu i cvijetu prave lavande (*Lavandula angustifolia* Mill.) i lavandina (*Lavandula × intermedia* Emeric ex Loisel.)
| Content of microelements in leaf and flower of true lavender (*Lavandula angustifolia* Mill.) and lavender (*Lavandula × intermedia* Emeric ex Loisel.)
- 38 **Marija Galić, Darija Bilandžija, Milan Mesić, Aleksandra Perčin, Željka Zgorelec**
| Seasonal variability of soil respiration during maize vegetation
| Sezonska varijabilnost disanja tla tijekom vegetacije kukuruza
- 44 **Danijela Jungić, Petar Unger, Stjepan Husnjak**
| Humoznost i kiselost lesiviranih tala na lesu u Panonskoj agroregiji Hrvatske
| Humus content and acidity of Luvisols on loess in Pannonian agroregion of Croatia
- 49 **Hrvoje Kutnjak, Ivona Žiža, Nela Jantol, Josip Leto**
| Seasonal phenology dynamics of alfalfa consociation with Italian ryegrass based on NDVI from Sentinel-2
| Sezonska fenološka dinamika smjese lucerne i talijanskog ljujla bazirana na NDVI-u sa Sentinel-2
- 54 **Ivka Kvaternjak, Renata Erhatic, Miomir Stojnović, Alanais Louis, Antoine Jouve**
| Macroelement content of true lavender (*Lavandula angustifolia* Mill.) and lavender (*Lavandula × intermedia* Emeric ex Loisel.) in organic fertilization
| Sadržaj makroelemenata u lavandi (*Lavandula angustifolia* Mill.) i lavandinu (*Lavandula × intermedia* Emeric ex Loisel.) pri organskoj gnojidbi

- 59 **Ivan Magdić, Ranka Popović, Vedran Rubinić**
| Mogućnost pojednostavljenja postupka određivanja gustoće čvrstih čestica tla piknometarskom metodom
| Possibilities for simplifying soil particle density determination by pycnometer method
- 64 **Ana Mrgan, Helena Marčetić, Arijana Penava, Kornelija Perković**
| Ocjena kvalitete komunalne otpadne vode s područja aglomeracije Lipik – Pakrac na mjestu ispuštanja u kanal
| Iliđa
| Quality assessment of municipal waste water from the area of the agglomeration Lipik-Pakrac measured on
| the site of discharge to Iliđa canal
- 70 **Ana Nimac, Ivana Štajcer, Zlatko Šatović, Klaudija Carović-Stanko, Boris Lazarević**
| Effects of nitrogen deficiency on some physiological parameters and root traits of three Croatian common
| bean landraces
| Utjecaj nedostatka dušika na neke fiziološke parametre i svojstva korijenovog sustava triju hrvatskih
| tradicijskih kultivara graha
- 76 **Péter Ragályi, Zdenko Lončarić, Andrijana Rebekić, Márk Rékási, Barbara Borsányi, Sándor
Molnár, Anita Szabó, Eszter Draskovits, Nikolett Uzinger**
| The effect of sewage sludge and sludge compost on soil fertility, organic matter content and yield of perennial
| ryegrass (*Lolium perenne*)
- 81 **Sanja Grubišić, Marija Kristić, Miroslav Lisjak, Katarina Mišković Špoljarić, Zdenko Lončarić, Andrijana
Rebekić**
| *In vitro* bioaccessibility of Ca, K, Mg, Mn, Fe and Zn from wheatgrass juice
| *In vitro* biodostupnost Ca, K, Mg, Mn, Fe i Zn iz soka pšenične trave
- 86 **Aida Šukalić, Maida Đapo Lavić, Alma Rahimić, Vedrana Komlen, Alma Mičijević**
| Carcinogenic hazard index of heavy metals from agricultural soil in the southeastern part of Bosnia and
| Herzegovina
- 91 **Diana Kikić, Ivica Kisić, Željka Zgorelec, Aleksandra Perčin**
| Portable X-ray fluorescence as a tool for characterization of nutrient status in soil
| Prijenosna reagenska fluorescencija kao alat u karakterizaciji opskrbljenosti tla hranivima

Session 2 | **Agricultural Economics and Rural Development**

- 97 **Ivan Spužević, Saša Zovko**
| Značaj troškova mineralnih gnojiva za cijenu koštanja i isplativost proizvodnje lubenice
| Significance of mineral fertilizer costs for cost price and cost effectiveness of watermelon production
- 104 **Milna Tudor Kalit, Matea Šuš, Marina Tomić Maksan, Samir Kalit**
| Stavovi potrošača o sirevima tradicionalne i industrijske proizvodnje
| Consumer attitudes about traditional and industrial cheese production
- 109 **Alexander Wirsig, Wolfgang Heisrath**
| Welcome to the club? The significance of protected geographical indications and designations of origin in
| Europe, with special consideration of the Croatian situation

- 114 **Tihana Sudarić, Krunoslav Zmaić, Vinka Čepo**
Razvoj eno-gastronomске turističke destinacije
Development of wine and gastronomic tourist destination
- 119 **Željka Mesić, Matea Šaban**
Obilježja online kupnje ekoloških prehrambenih proizvoda u Hrvatskoj
Characteristics of online purchases of organic food products in Croatia
- 123 **Krisztián Kovács, István Szűcs, Vesna Očić, Josip Juračak**
Efficiency comparison of the main Croatian and Hungarian animal husbandry sectors
- 128 **Marin Čagalj, Marko Ivanković, Ivo Grgić**
Vanjskotrgovinska razmjena Republike Hrvatske i Bosne i Hercegovine poljoprivrednoprehrambenim proizvodima u razdoblju od 2013. do 2018. godine
External trade of agricultural and food products between the Republic of Croatia and Bosnia and Herzegovina in the period 2014-2018
- 133 **Sanja Jelić Milković, Zrinka Tolušić, Ružica Lončarić**
Analiza mišljenja domaćih proizvođača vina o konkurenciji
Analysis of domestic winemakers' opinions on competition
- 139 **Branka Šakić Bobić, Ornella Mikuš, Nataša Šenjug, Zoran Grgić, Vesna Očić**
Iskustva poljoprivrednika Krapinsko-zagorske županije s fondovima Europske Unije
Experiences of farmers from Krapina-Zagorje County with EU funds
- 144 **Ljiljana Božić-Ostojić, Slavica Antunović, Mihaela Blažinkov, Teuta Benković Lačić**
Stavovi proizvođača Brodsko-posavske županije o stanju poljoprivrede i poljoprivredne politike
Attitudes of producers of Brod-Posavina county on the state of agriculture and agricultural policy
- 149 **Ana Čehić, Martina Begić, Marija Cerjak, Milan Oplanić**
Maslinarstvo kao dio turističke ponude
Olive growing as a part of tourism supply
- 153 **Zoran Grgić, Mato Čačić, Zlatko Pavičić, Branka Šakić Bobić**
Osnovni činitelji ekonomike proizvodnje mlijeka na farmama različitog kapaciteta
Basic factors of economics of milk production on farms of different capacity
- 158 **Forest David, Tünde Kovács**
Introducing QSPM Analysis to Agribusiness Firms
- 162 **Damir Kovačić, Marina Čurčić, Marija Cerjak, Željka Mesić**
Mogućnost uvođenja jednokratne ambalaže za ajvar na domaće tržište
The possibility of introducing a disposable ajvar packaging on the domestic market

Session 3 | **Genetics, Plant Breeding and Seed Production**

- 167 **Anita Bošnjak Mihovilović, Ivanka Habuš Jerčić, Marijana Barić, Ivana Tomaz, Tatjana Prebeg, Kristina Bekavac, Snježana Kereša**
Utjecaj osvjetljenja različitih spektralnih karakteristika na formiranje puči kapara (*Capparis orientalis* Veill.) u *in vitro* i *in vivo* uvjetima
Effect of different light spectra on stomata formation of caper (*Capparis orientalis* Veill.) *in vitro* and *in vivo*

Contents

- 172 **Aida Dervishi, Doriana (Bode) Xhulaj, Ilda Kaso**
| Genetic diversity of some important wheat (*Triticum aestivum* L.) genotypes in Albania based on morphological traits and RAPD markers
- 177 **Ivanka Habuš Jerčić, Snježana Kereša, Anja Gotić, Anita Mihovilović Bošnjak, Marijana Barić**
| Reakcija genotipova pšenice na različite gustoće sjetve
| Response of wheat genotypes to different sowing densities
- 182 **Ana Lovrić, Nikolina Novaković, Bruno Rajković, Marko Maričević, Ivica Ikić, Hrvoje Šarčević**
| Otpornost na priježetveno proklijavanje u potomstvima dvaju križanja ozime pšenice
| Resistance to pre-harvest sprouting in progenies of two winter wheat crosses
- 187 **Monika Vidak, Ana Nimac, Zlatko Šatović, Jerko Gunjača, Boris Lazarević, Klaudija Carović-Stanko**
| Chlorophyll fluorescence as a method for the prediction of germination success in common bean (*Phaseolus vulgaris* L.)
| Fluorescencija klorofila kao metoda za određivanje klijavosti sjemena graha (*Phaseolus vulgaris* L.)

Session 4 | **Vegetable Growing, Ornamental, Aromatic and Medicinal Plants**

- 193 **Kristina Batelja Lodeta, Davorka Poljak, Lucijana Kovačević, Gvozden Dumičić, Smiljana Goreta Ban**
| Morfološka svojstava kultivara mini lubenice
| Morphological traits of mini watermelon cultivars
- 198 **Božidar Benko, Mislav Đurić, Sanja Radman, Boris Lazarević, Nina Toth, Ivanka Žutić, Nevena Opačić**
| Morfometrijska svojstva ploda i prinos krastavca tretiranog biljnim biostimulatorima
| Fruit morphometric properties and yield of cucumber treated with plant biostimulants
- 203 **Elena Liliana Chelariu, Lucia Draghia, Maria Apostol, Bogdan-Vlad Avarvarei, Mirela Cojocariu, Nicoleta Luminița Paraschiv**
| Vermicompost influence on seedlings quality of *Kniphofia uvaria* species
- 208 **Nina Kacjan Maršić, Katarina Košmelj, Ana Slatnar**
| The impact of planting date and cultivar on yield and morphological traits of garlic (*Allium sativum* L.) bulbs: data from a small-scale experiment
- 213 **Erjon Mamoci, Kostlend Mara, Ilir Lloha, Maria Fe Andrés, Sonia Olmeda, Azucena González- Coloma**
| Chemical composition and antimicrobial activity of essential oils from Albanian conifer plants
- 218 **Nevena Opačić, Tamara Brlek, Sanja Slunjski, Kristina Kljak, Sanja Radman, Sanja Fabek Uher**
| Količina makroelemenata u mladim izdancima cikle i brokule
| Macroelements content of red beet and broccoli microgreens
- 223 **Anisa Peculi, Nertil Xhaferaj, Sara Serbo, Anila Kopali, Alketa Shehaj**
| Determination of caffeine content by UV-VIS spectrophotometer in coffee and tea samples available on Albanian market

Contents

- 227 **Sanja Radman, Antonia Skomrak, Božidar Benko, Sanja Fabek Uher, Nevena Opačić, Ivanka Žutić**
| Utjecaj pre-sjetvenih tretmana na klijavost sjemena mrkve, peršina i kopra
| Effect of pre-sowing treatment on seed germination of carrot, parsley and dill
- 232 **Monika Tkalec Kojić, Tomislav Vinković, Boris Ravnjak, Jasna Kraljičak, Mario Đurić**
| Ispitivanje klijavosti sjemena pustenaste divizme (*Verbascum phlomoides* L.) na različitim podlogama
| Germination test of woolly mullein (*Verbascum phlomoides* L.) on different growth media
- 237 **Nina Toth, Leopold Prlić, Lepomir Čoga, Ivanka Žutić, Sanja Fabek Uher, Božidar Benko**
| Učinak vermikomposta na morfološka svojstva, prinos i mineralni sastav ploda paprike
| Effect of vermicompost on morphological characteristics, yield and mineral content of pepper fruit
- 243 **Nertil Xhaferaj, Anisa Peçuli, Sara Serbo, Albjona Brahollari, Erjola Kopali, Anila Kopali**
| Optimization of the extraction of caffeine from coffee and tea samples
- 248 **Ivanka Žutić, Kristina Bajlo, Božidar Benko, Nina Toth, Sanja Radman**
| Klijavost sjemena kapare (*Capparis orientalis* Veill.) pod utjecajem različitih kemijskih tvari
| Germination of capper (*Capparis orientalis* Veill.) seeds affected by different chemical treatments

Session 5 | Field Crop Production

- 255 **Klara Barić, Zlatko Svečnjak, Josip Lakić, Ana Pintar, Tomislav Torić**
| Učinak pokrovne kulture na kontrolu korova na strništu
| Contribution of cover crops to weed suppression
- 260 **Ivan Horvatić, Martina Kovačević, Dario Jareš, Zlatko Svečnjak, Ivana Radojčić Redovniković, Darko Uher**
| Influence of intercropping maize with climbing bean and fertilization with clinoptilolite on forage yield and quality
- 265 **Ivan Horvatić, Martina Kovačević, Dario Jareš, Dubravko Maćešić, Zlatko Svečnjak**
| Influence of intercropping maize with cowpea on forage yield and quality
- 270 **Dario Iljkić, Saša Šormaz, Mirta Rastija, Josip Galić, Ivana Varga, Luka Drenjančević**
| Agronomska i gospodarska svojstva sorata pšenice Bc instituta d.d. Zagreb
| Agronomic and economic properties of wheat varieties of Bc institute d.d. Zagreb
- 275 **Dubravko Maćešić, Zlatko Svečnjak, Darko Uher**
| Effects of seeding rate, seed inoculation and Bioalgeen application on common vetch-wheat forage yield in Western Slavonia
- 279 **Darko Uher, Ivana Radojčić Redovniković, Dario Jareš, Ivan Horvatić**
| Influence of intercropping maize with soybean on forage yield and quality
- 284 **Darko Uher, Ivan Horvatić, Dario Jareš**
| Influence of intercropping sweet sorghum with soybean on yield and crude protein content of fresh fodder
- 289 **Jelena Vančetović, Dragana Ignjatović-Mićić, Marija Kostadinović, Nenad Delić, Goran Stanković, Sofija Božinović, Olivera Đorđević Melnik**
| Agronomic traits of QPM maize hybrids adapted to temperate regions

Session 6 | Fisheries, Wildlife Management and Apiculture

- 295 Brigita Novosel, Neven Iveša, Ivana Balenović, Alexis Conides, Jurica Jug-Dujaković, Ana Gavrilović**
 | Utjecaj vremena nasađivanja mladi na rast orade i lubina u kaveznom uzgojnom sustavu
 | Impact of stocking time on the growth of sea bream and sea bass in a cage rearing system
- 300 Krešimir Krapinec, Krešimir Pauković, Robert Sajfert, Darko Uher**
 | Browsing intensity of some Mediterranean plants by the European mouflon
 | Razina brštenja pojedinih sredozemnih biljnih vrsta od strane europskog muflona
- 306 Mate Malenica, Krunoslav Pintur**
 | Procjena brojnosti populacije jarebice kamenjarke (*Alectoris graeca*) na području značajnog krajobraza vodenog toka i kanjona rijeke Čikole
 | Estimation population size of the rock partridge (*Alectoris graeca*) in the area of protected landscape of the water course and the canyon of the Čikola River
- 311 Ivan Pervan, Matija Konječić, Tomislav Dumić**
 | Kraniometrijska obilježja šljuke bene (*Scolopax rusticola* L.) s područja Dalmatinske zagore
 | Craniometrical features of Eurasian woodcock (*Scolopax rusticola* L) in the area of Dalmatian Hinterland
- 316 Juraj Petravić, Marin Jarnjak, Krešimir Kuri, Martina Andrašić, Ivana Kaleb Vuletić, Margarita Maruškić Kulaš, Helena Jajčević, Goran Jakšić**
 | Fish assemblage of the artificial flood protection channel Kupa-Kupa
 | Sastav riblje zajednice rasteretnog poplavnog kanala Kupa-Kupa
- 322 Tin Batur, Matej Orešković, Antonio Viduka, Tena Radočaj, Ivan Špelić, Danilo Mrdak, Marina Piria**
 | Kompeticija u prehrani između unesene kalifornijske pastrve (*Oncorhynchus mykiss*) i ugrožene Europske jegulje (*Anguilla anguilla*) iz rijeke Žrnovnice
 | Competition for food between introduced rainbow trout (*Oncorhynchus mykiss*) and endangered European eel (*Anguilla anguilla*) from the Žrnovnica River
- 328 Neven Iveša, Ivan Špelić, Martina Gelli, Antonio Castelletichio, Marina Piria, Ana Gavrilović**
 | Analiza ulova ribe mrežom poponicom u Medulinskom zaljevu
 | Fish catch analysis of the “poponica” net in Bay of Medulin
- 334 Marin Kovačić, Nikola Raguž, Ivana Majić, Boris Lukić, Ankica Sarajlić, Zlatko Puškadija**
 | Results of the first generation of Carniolan honey bees (*Apis mellifera carnica*) selection to *Varroa destructor* resistant traits
 | Rezultati selekcije prve generacije sive pčele (*Apis mellifera carnica*) na svojstva otpornosti na grinju *Varroa destructor*
- 339 Marina Piria, Filip Petek, Luana Velagić, Ivana Lisica, Ivan Špelić, Tena Radočaj, Tamara Kanjuh, Ana Marić, Ivana Buj, Marko Čaleta, Davor Zanella, Predrag Simonović**
 | Povijest i pregled istraživanja potočne pastrve crnomorskog sliva u Hrvatskoj
 | History and review of research of brown trout from Black Sea Basin in Croatia
- 345 Ena Spremo, Ana Bratoš Cetinić, Marina Brailo**
 | Učinkovitost različitih metoda ekstrakcije mikroplastike iz mediteranske dagnje *Mytilus galloprovincialis* (Lamarck, 1819)
 | Efficiency of different methods for microplastics extraction from Mediterranean mussel *Mytilus galloprovincialis* (Lamarck, 1819)

- 350 **Jadranka Sulić Šprem, Tatjana Dobrosravić, Sanja Grđan, Kruno Bonačić, Nenad Antolović**
Indeks kondicije bežmeka *Uranoscopus scaber* Linnaeus, 1758 u južnom Jadranu
The condition index of the stargazer *Uranoscopus scaber* Linnaeus, 1758. from the southern Adriatic
- 354 **Lea Balen Percela, Saša Prđun, Marica Dražić, Dragan Bubalo**
Utjecaj snage pčelinje zajednice na skupljanje pčelinjeg otrova metodom elektrostimulacije
Influence of the honey bee colony strength on collecting bee venom by electro stimulation method
- 358 **Zrinka Tolušić, Vlado Jumić, Tihomir Florijančić**
Financijski učinci lovnog turizma u istočnoj Hrvatskoj
Financial effects of hunting tourism in eastern Croatia
- 362 **Željana Đodo, Nenad Antolović, Nikša Glavić, Jadranka Sulić Šprem**
Length-weight relationship of grass goby *Zosterisessor ophiocephalus* from Novigrad Sea - eastern Adriatic Sea
Dužinsko - maseni odnos glavoča travaša *Zosterisessor ophiocephalus* u Novigradskom moru – istočno Jadransko more
- 367 **Irena Glavor, Vlasta Bartulović, Tatjana Dobrosravić**
Analiza prisutnosti čestica mikropplastike u želucima triju komercijalnih vrsta riba na području južnog Jadrana
Analysis and the presence of microplastic particles in the stomachs of three commercial fish species in the southern Adriatic
- 372 **Sanja Grđan, Ana Bratoš Cetinić, Marija Crnčević, Jadranka Sulić Šprem**
Morphometric characteristics of the snail *Phorcus turbinatus* (Born, 1778) (Mollusca: Gastropoda) from the marine lake Mrtvo more (Lokrum Island, South Adriatic)
Morfometrijske značajke puža *Phorcus turbinatus* (Born 1778) (Mollusca: Gastropoda) iz Mrtvog mora (otok Lokrum, južni Jadran)
- 376 **Nikolina Ledenko, Tea Tomljanović, Slavica Čolak, Danijel Mejdandžić, Matko Kolega, Renata Barić, Daniel Matulić**
Uzroci obojenja mišićnog tkiva svježeg brancina (*Dicentrarchus labrax*) žučnim bojama
Causes of coloration of muscular tissue at fresh sea bass (*Dicentrarchus labrax*) with bile pigments
- 383 **Mario Prečanica, Kruno Bonačić, Jadranka Sulić Šprem, Josip Mikuš**
Effects of silicate concentrations on the growth of the diatom *Chaetoceros* cf. *neogracilis* in aquaculture conditions
Utjecaj različitih koncentracija silikata na abundanciju dijatomeje *Chaetoceros* cf. *neogracilis* (Schutt, 1985) u uzgojnim uvjetima

Session 7 | **Animal Husbandry**

- 389 **Dubravko Škorput, Ivan Torček, Sven Menčik, Željko Mahnet, Vedran Klišanić, Danijel Karolyi, Zoran Luković, Krešimir Salajpal**
Čimbenici plodnosti krmača banijske šare svinje
Factors influencing litter size sows in Banija spotted pig
- 394 **Zvonko Antunović, Ozren Erceg, Željka Klir, Josip Novoselec**
Fenotipske odlike različitih dobnih kategorija hrvatske bijele koze
Phenotypic traits of Croatian white goats in various ages

- 399 **Dalibor Bedeković, Marko Jelen, Zlatko Janječić, Tatjana Jelen, Marija Meštrovic, Marijana Vrbančić, Gordana Duvnjak, Ivan Širić, Ivica Kos**
| Pokazatelji proizvodnje mesa križevačke kukmaste kokoši
| Meat production indicators of Križevci crested hen
- 405 **Darija Bendelja Ljoljić, Šimun Zamberlin, Iva Dolenčić Špehar, Viktorija Luetic, Dubravka Samaržija**
| The concentration of zinc, iron and manganese in the sheep's milk and yogurt
- 410 **Krešimir Bošnjak, Marina Vranić, Ivana Čačić, Tomislav Mašek, Ivica Andrić, Paula Jurčić**
| Utjecaj boje polietilenske folije na kvalitetu biljne mase silirane u velike bale
| The effect of the colour of polyethylene film on the forage quality ensiled in big bales
- 414 **Krešimir Bošnjak, Marina Vranić, Ivana Čačić, Tomislav Mašek, Ana Beljan**
| Utjecaj primjene krutog stajskog gnoja na sadržaj sirovih proteina i nitrata u krmi s poluprirodnog travnjaka
| The effect of farmyard manure application on the crude protein and nitrate content of forage from semi-natural grassland
- 419 **Iva Dolenčić Špehar, Darija Bendelja Ljoljić, Šimun Zamberlin, Dubravka Samaržija**
| Jogurt u funkciji zdravlja starijih osoba
| Yoghurt as a function of health in the elderly people
- 424 **Valentino Držaić, Jelena Ramljak, Ante Kasap, Ivan Širić, Zvonko Antunović, Boro Mioč**
| Polimorfizmi MTNR1A gena u populaciji istarske ovce
| MTNR1A gene polymorphisms in Istrian sheep population
- 429 **Zlatko Janječić, Zlata Kralik, Dalibor Bedeković**
| Utjecaj alternativnih sustava držanja na oštećenja prsnih kostiju kokoši nesilica
| The influence of alternative rearing systems on breast bone damages of laying hens
- 434 **Ivica Kos, Ivana Mijač, Zlatko Janječić, Blanka Sinčić Pulić, Marko Musulin, Radka Langová, Zoran Luković, Ivan Širić, Dalibor Bedeković**
| Utjecaj dodatka mikroalgi u hranu kokoši nesilica na senzorska svojstva jaja
| Effect of microalgae addition in laying hen diet on egg sensory traits
- 440 **Zlata Kralik¹, Gordana Kralik, Danica Hanžek**
| Mišljenje potrošača u Hrvatskoj o konzumaciji omega-3 obogaćenih jaja
| Consumers' opinion in Croatia on consumption of omega-3 enriched eggs
- 444 **Miloš Marinković, Predrag Perišić, Dušica Ostojčić Andrić, Nenad Mičić, Nenad Stojiljković, Dragan Nikšić, Vlada Pantelić**
| The effect of age on semen quality of Holsteinfriesian bulls
- 449 **Ben Moljk, Janez Jeretina, Jure Brečko**
| Utjecaj automatskog sustava mužnje na proizvodnju mlijeka
| The influence of the automatic milking system on milk production
- 454 **Dominik Petričević, Dubravko Škorput, Danijel Karolyi, Ivica Kos, Ana Kaić, Zoran Luković**
| Klaonički pokazatelji i kakvoća mesa tovljenika banijske šare iz poluotvorenog sustava držanja
| Slaughtering performance and meat quality of Banija spotted fatteners from semi-outdoor system
- 459 **Zvonimir Prpić, Katarina Huzanić, Danijel Mulc, Ivan Vnučec, Branislav Galik, Boro Mioč, Zdravko Barać**
| Porodna masa i odlike rasta muške jaradi izvornih i inozemnih pasmina koza u Hrvatskoj
| Birth weight and growth traits of male goat kids of indigenous and foreign goat breeds in Croatia

- 464 **Nikola Raguž, Boris Lukić**
| Potential gain of genome editing for improved animal breeding
- 469 **Zvonimir Steiner, Drago Bešlo, Stipo Benak, Goran Gavić, Ana Aračić, Ines Rica, Petra Musa, Miljenko Konjačić, Mario Ronta**
| Utjecaj hranidbe teladi sa starterom na bazi proizvoda kvasaca na dnevne priraste i zdravstveno stanje teladi
| Influence of feeding calves with starter based on yeast products on daily weight gain and calf health
- 474 **Nenad Stojiljković, Dragan Radojković, Radomir Savić, Marija Gogić, Vladimir Živković, Miloš Marinković, Krstina Zeljić**
| Influence of genotype, farm, and test year on the variability of traits monitored in the performance test of gilts
- 479 **Josipa Štavalj, Tina Bobić, Ranko Gantner, Pero Mijić**
| Rotacijsko napasivanje u sustavu krava-tele
| Rotational grazing in cow-calf system
- 484 **Marijana Vrbanić, Ivan Vnučec, Tatjana Jelen, Jelena Ramljak, Miljenko Konjačić**
| Povezanost polimorfizma DGAT₁ gena sa mesnim odlikama janjadi
| Polymorphism of DGAT₁ gene on some meat characteristics of lambs

Session 8 | **Viticulture and Enology**

- 491 **Iva Šikuten, Sara Šima Matković, Petra Štambuk, Domagoj Stupić, Željko Andabaka, Zvezdana Marković, Jasminka Karoglan Kontić, Edi Maletić, Darko Preiner,**
| Utjecaj djelomične defolijacije na prinos i sastav grožđa sorte vinove loze 'Belina starohrvatska' (*Vitis vinifera* L.)
| Influence of partial defoliation on yield and grape content of grapevine cultivar 'Belina starohrvatska' (*Vitis vinifera* L.)
- 496 **Sara Rossi, Sanja Radeka, Marijan Bubola, Tomislav Plavša, Ivana Horvat, Igor Lukić, Ana-Marija Jagatić Korenika**
| Influence of different vinification techniques on stilbenes and total polyphenolic content in Teran wines
| Utjecaj različitih vinifikacijskih tehnologija na sadržaj stilbena i ukupnih polifenola u vinima sorte 'Teran'
- 501 **Marina Lavrić, Tihomir Prusina**
| The influence of the vintage year on Blatina wine quality
| Utjecaj godine berbe na kvalitetu vina Blatina
- 506 **Josip Mesić, Valentina Obradović, Helena Marčetić Brankica Svitlica, Ivan Malčić, Tomislav Soldo**
| Impact of cluster thinning on Merlot and Cabernet Sauvignon (*Vitis vinifera* L.) must quality
| Utjecaj prorjeđivanja grozdova kultivara Merlot i Cabernet Sauvignon (*Vitis vinifera* L.) na kakvoću mošta
- 510 **Ivana Rendulić Jelušić, Marina Anić, Ivana Puhelek, Mirela Osrečak, Branka Šakić Bobić, Zoran Grgić, Marko Karoglan**
| Pregled novih tehnologija za praćenje vinogradarske proizvodnje i primjenu preciznog vinogradarstva
| Overview of new technologies for monitoring viticulture production and the application of precision viticulture

Session 9 | **Pomology**

- 517 **Kristina Batelja Lodeta, Maja Zagorc, Vesna Očić, Ines Pohajda, Đani Benčić, Snježana Bolarić, Aleš Vokurka, Snježana Kereša, Jelena Gadže, Josip Gugić, Zlatko Čmelik**
 | Pomološka svojstva sorata šljive na lokalitetu Jazbina
 | Pomological properties of plum varieties at the Jazbina site
- 522 **Željko Perković, Robert Benković, Krunoslav Miroslavljević, Teuta Benković-Lačić**
 | Dinamika porasta mladice kruške sorata 'Williams' i 'Santa Maria'
 | The growth dynamics of branches on pears cultivars 'Williams' and 'Santa Maria'
- 527 **Dora Klisović, Anja Novoselić, Igor Lukić, Karolina Brkić Bubola**
 | Evolution of phenolic compounds and quality parameters after storage of Istarska bjelica and Buža cv. extra virgin olive oil
 | Utjecaj skladištenja na parametre kvalitete i fenolni sastav ekstra djevičanskih maslinovih ulja sorti Istarska bjelica i Buža
- 533 **Anja Novoselić, Dora Klisović, Igor Lukić, Ivana Horvat, Karolina Brkić Bubola**
 | The strategies for antioxidant enrichment of Buža cv. virgin olive oil
 | Strategije antioksidacijskog obogaćivanja djevičanskog maslinovog ulja sorte Buža
- 538 **Ivica Šnajder, Dinko Zima, Mario Jakobović, Valentina Mudrinović**
 | Preferencije potrošača o konzumaciji ekološkog voća u Požeško-slavonskoj županiji
 | Consumer preferences on Organic Fruit Consumption in Požega Slavonia County
- 542 **Sandra Voća, Jana Šic Žlabur, Jasmina Čaušević, Martina Skendrović Babojelić, Nadica Dobričević, Stjepan Plietić, Ante Galić**
 | Biološki potencijal ploda kivija s različitih lokacija
 | Biological potential of kiwi fruit from different locations
- 547 **Mladen Zovko, Ivan Ostojić, Tihomir Miličević, Luka Bošnjak, Jurica Primorac**
 | First record of the honeysuckle whitefly *Aleyrodes loniceræ* (Hemiptera: Aleyrodidae) in Bosnia and Herzegovina and its incidence on cultivated strawberry
 | Prvi nalaz i intenzitet pojave jagodinog štitaštog moljca *Aleyrodes loniceræ* (Hemiptera: Aleyrodidae) na kultiviranoj jagodi u Bosni i Hercegovini

Session 10 | **Agricultural Engineering**

- 553 **Alan Antonović, Tajana Krička, Vanja Jurišić, Branimir Šafran, Suzana Antolović, Juraj Stanešić, Josip Ištvančić**
 | Utjecaj različitih polihidričnih alkohola na utekućenje trave *Miscanthus x giganteus*
 | Influence of various polyhydric alcohols on the liquefaction of grass *Miscanthus x giganteus*
- 558 **Mateja Grubor, Vanja Jurišić, Nikola Bilandžija, Zorana Kovačević, Tajana Krička**
 | *Arundo donax* L. kao sirovina u biorafinerijskom procesu
 | *Arundo donax* L. as raw material in the biorefinery process
- 563 **Nives Jovičić, Sanja Kalambura, Alan Antonović, Ana Matin, Tajana Krička**
 | Biokompoziti kao proizvodi u biogospodarstvu
 | Biocomposites as products in the bioeconomy

Contents

- 568 **Vanja Jurišić, Mislav Kontek, Katarina Jakšić, Alan Antonović**
| Usporedba empirijskih i teorijskih ogrjevnih vrijednosti miskantusa
| Comparison of empirical and theoretical heating values of miscanthus
- 573 **Ana Matin, Nikola Bilandžija, Neven Voća, Josip Leto, Sandra Bischof**
| Proizvodnja energije iz sječke *Sida hermaphrodite* kao čvrstog biogoriva
| Energy production from *Sida hermaphrodita* chips as solid biofuel
- 578 **Anamarija Peter, Dubravka Dujmović Purgar, Terezija Međugorac, Mateja Grubor, Neven Voća**
| Upotreba biomase invazivne biljne vrste amorfe (*Amorpha fruticosa* L.) u proizvodnji energije
| Use of invasive plant species Indigobush (*Amorpha fruticosa* L.) biomass in energy production

Impact of cluster thinning on Merlot and Cabernet Sauvignon (*Vitis vinifera* L.) must quality

Josip Mesić, Valentina Obradović, Helena Marčetić Brankica Svitlica, Ivan Malčić, Tomislav Soldo

Veleučilište u Požezi, Vukovarska 17, 34 000 Požega, Hrvatska (e-mail: jmesic@vup.hr)

Abstract

The aim of this study is to present the influence of yield reduction on the chemical composition of must of black grapevine varieties (Merlot and Cabernet Sauvignon). The study was conducted in the vineyard and laboratory of the Polytechnic of Požega in 2019. The thinning of the clusters was done prior to veraison the on set of the phenophase of the ripening of the grapes. Each shoot was left with one cluster, resulting in a 25% yield reduction in Cabernet Sauvignon and 34% in Merlot. Statistical analysis revealed that the ampelotechnical procedure had a significant effect on the average sugar content, total acids and pH value of Cabernet Sauvignon variety. Although the differences between the average values of the other parameters among the treatment are visible, they are not statistically significant. The analysis of the obtained paramatars shows that in 2019, under the given environmental conditions, the operation of thinning clusters on the cultivars in question was not justified.

Keywords: Merlot, Cabernet Sauvignon, Cluster thinning, chemical composition of must, Kutjevo vineyards

Introduction

Under the environmental conditions of the Slavonia sub-region (ZOI Slavonija), winegrowing zone C1 (Maletić et al. 2003), the operation of thinning grapes on black varieties (*Vitis vinifera* L.) Merlot and Cabernet Sauvignon plays an important role in achieving high quality grapes and wines. Thinning usually leaves one cluster on the shoot so that the cluster is cut with scissors in the upper part of the petiol (Mirošević and Karoglan Kontić 2008). Canopy management is generally viewed as positioning and maintaining bearing (growing) shoots and their fruit in a microclimate optimal for grape quality. Cluster thinning comprises the removal of whole or parts of inflorescence and fruit clusters to improve the microclimate of fruit zone and leaf area and fruit balance (Jackson 2014). Under the environmental conditions of the Slavonia sub-region (ZOI Slavonija), winegrowing zone C1, the operation of thinning grapes on black varieties (*Vitis vinifera* L.) Merlot and Cabernet Sauvignon plays an important role in achieving high quality grapes and wines. Targeted sugar content is around 100 °Oe. The second principal components in most fruits is the acids. Two main acids found in grapes are malic and tartaric, which together constitute over 90% of the acidity of the grapes (Bird 2014; Jackson 2014). For the majority wines, a range of between 5.5 and 8.5 g/L total acidity is desirable. White wines are typically preferred at the higher end of the scale, whereas red wines are preferred at the lower end a pH range of between 3.1 and 3.4 is suitable for most white wines, and between 3.3 and 3.6 for most red wines (Jackson 2014, Beslić 2016). Must acidity, an important element of enological, is essentially constituted by tree acids: tartaric, malic and citric. They depending on the cultivar, the climate and grape maturity (Ribereau – Gayon 2006).

Clusters removing improve the quality of 'Riesling x Silvaner' berries, retaining 66% of the clusters per plant is recommended, because it generated the highest fruit production per area, mass of clusters and fruits, and total solid soluble content, as well as considerable values of total titratable acids and technical maturity index with a low pH value (Almanza-Merchán et. al 2011). Leaf removal and cluster thinning were carried out prior to veraison to evaluate the effects on berry quality of two *Vitis vinifera* cultivars (Cabernet Sauvignon and Ugni Blanc) in the Weibei Dryland of China in 2013 and 2014, and comprehensive analysis of the chemical and volatile composition in berries was performed. The results showed that content of soluble solids in both varieties was not affected while total acid was generally decreased by leaf removal and cluster thinning. The pH of berry juice was correspondingly higher in most treatment groups (Song et.al. 2018).

Material and methods

The research was conducted on the grapes of the vineyards of the Polytechnic of Pozega. The vineyard is located in the position of Gradina (Podgorje) in the Kutjevo Vineyard, the Slavonia wine-growing sub-region, the Slavonia region and the Croatian Danube region. The altitude is 350 m, it is a plantation of southern exposure and moderate inclinations, suitable for vineyard sites. The rows of the test plantation extend from north to south. The subject of the study are grapevine varieties of the vine Merlot and Cabernet Sauvignon, which were introduced to vineyards in the 1990s. Both cultivars were grafted on Kober 5BB in 2007. The training system is Guyot. The number of shoots per vine is 10, two of which are on the spur and the other eight are located on the cane.

The thinning of the clusters is a summer pruning that is usually done on the black cultivars of the plantation in order to continuously achieve the highest quality of grapes and wine. Although 2019 was ultimately dry and favorable during the ripening phase, heavy rainfall by June and July caused significant damage in many plantations due to the harsh conditions of protecting grapes from disease and pests.

The removal of the clusters was done at stage of fruit development (according to BBCH scale berries beginning to touch - 77) by leaving one cluster per shoot. The experiment was set up according to a randomised block design for each cultivar with two treatments in four repetitions. The repetition consists of one gap of 8 vines. Between the two pillars in the row. The treatment labels are: MK - Merlot, control; MO - Merlot, cluster thinning; CSK - Cabernet Sauvignon, control and CSO - Cabernet Sauvignon, clusters removed.

During the harvest, on October 2, 2019, data were collected: cluster number per vine and yield per vine, average yield per vine and the average cluster weight. The extracted must was analyzed immediately after harvesting on Gibertini wineflow according to the manufacturers instructions for nitrogen compounds (α -amino and ammonium nitrogen) and total acidity and individual organic acids (tartaric, malic, lactic, citric). The results of the sugar content were measured on a Gibertini superalcomat hydrostatic balance. All data were processed variationally statistically.

Results and discussion

Tables 1 and 2 show the number of clusters and the average yield per vine in the vines undergoing cluster thinning treatment and in the control vines. The average yield of Merlot on vines where part of the clusters were removed was 34 lower, whereas for Cabernet Sauvignon the yield reduction per vine was 25% lower.

The average sugar content of the must of both cultivars is higher in the treatment with the cluster thinning, the total acidity is reduced while the pH is slightly increased in the grapevines with the removed clusters. Similar results are reported by other authors (Almanza Merchán et al. 2011; Jackson 2014; Song et al. 2018). The sugar content of Merlot's must is higher than 4,9% and is 103 °Oe, while for Cabernet Sauvignon (CSO) the sugar content is higher by 6,7% Climate conditions had a significant influence on the above-average warm and dry period after the operation in the grape ripening phase.

Table 1: Average number of clusters per vine, average yield per vine (g), average yield per hectare (kg/ha), Merlot 2019

	The number of clusters per vine	Average yield per vine (g/vine)	Average yield (kg/ha)
MK	10	1524	8992
MO	8	1098	6478

MK – Merlot - control = without cluster thinning, MO – Merlot = cluster thinning

Table 2: Average number of clusters per vine, average yield per vine (g), average yield per hectare (kg/ha), Cabernet Sauvignon, 2019.

	Number of clusters per vine	Average yield per vine (g/vine)	Average yield (kg/ha)
CSK	13	1569	9257
CSO	9,5	1170	6903

CSK – Cabernet Sauvignon - control = without cluster thinning, CSO – Cabernet Sauvignon = cluster thinning

Table 3: Average sugar content in must (°Oe), total acidity expressed as tartaric acid (g/L), pH of must, Merlot, 2019.

	Sugar (°Oe)	Total acidity (g/l)	pH
MK	98 ^a	6,7 ^a	3,50 ^a
MO	103 ^a	6,2 ^a	3,66 ^a

MK – Merlot - control = without cluster thinning, MO – Merlot = cluster thinning, ^{a,b} Values in the same column of the table marked with different letters are statistically different.

Table 4: Average sugar content in must (°Oe), total acidity expressed as tartaric acid (g/L), pH of must, Cabernet Sauvignon, 2019.

	Sugar (°Oe)	Total acidity (g/l)	pH
CSK	96 ^a	7,1 ^a	3,22 ^a
CSO	103 ^b	6,3 ^b	3,24 ^b

CSK – Cabernet Sauvignon - control = without cluster thinning, CSO – Cabernet Sauvignon = cluster thinning, ^{a,b} Values in the same column of the table marked with different letters are statistically different.

Table 5: Average content of tartaric, malic, lactic and citric acids in must (g/l), Merlot, 2019

	Tartaric acid	Malic acid	Lactic acid	Citric acid
MK	4,9 ^a	1,7 ^a	0,043 ^a	0,018 ^a
MO	4,2 ^a	1,9 ^a	0,045 ^a	0,020 ^a

MK – Merlot - control = without cluster thinning, MO – Merlot = cluster thinning, ^{a,b} Values in the same column of the table marked with different letters are statistically different.

Table 6: Average content of tartaric, malic, lactic and citric acids in must (g/l), Cabernet Sauvignon, 2019.

	Tartaric acid	Malic acid	Lactic acid	Citric acid
CSK	5,8 ^a	2,4 ^a	0,029 ^a	0,06 ^a
CSO	4,9 ^a	2,6 ^a	0,031 ^a	0,04 ^b

CSK – Cabernet Sauvignon - control = without cluster thinning, CSO – Cabernet Sauvignon = cluster thinning, ^{a,b} Values in the same column of the table marked with different letters are statistically different.

Tables 5 and 6 show the average values of the most represented organic acids in must. Although the differences between the average values of tartaric and malic acid are not statistically significant, it can be seen that in the case of vine varieties with reduced yield, the tartaric acid content is smaller and that of males slightly higher compared to the grapevines with full yield. Significant differences caused by the removal of the clusters were found in Cabernet Sauvignon cultivars in the parameters of sugar content, total acidity and pH. The average sugar content is higher with CSO treatment while the content is acidic and pH lower than CSK treatment. is 5 °Oe and is 103 °Oe, while for Cabernet Sauvignon (CSO) treatments the sugar content is higher by 6,7%. On all parameters were significant influence on the above-average warm and dry period during the grape ripening.

Conclusion

Taking into account the favorable climatic conditions during the grape ripening period in the year of the experiment, differences in the tested parameters do not represent a significant shift in improving the quality of the grapes, although the differences in individual parameters are significant. For a complete picture of the success of the experiment itself, research should be extended to the final product (wine).

Literature

- Almanza-Merchán P., Fischer G., Serrano-Cely, P., Balaguera-López, H. and Galvis J.A. (2011). Effects of leaf removal and cluster thinning on yield and quality of grapes (*Vitis vinifera* L., Riesling × Silvaner) in Corrales, Boyaca (Colombia). *Agronomía Colombiana* 29(1): 35-42
- Beslić M. (2016). Tehnologija vina. Poljoprivredno prehrambeni fakultet univerziteta u Sarajevu, Bosna i Hercegovina
- Bird D. (2014) Understanding Wine Technology, third edition, DBQA publishing, United Kingdom
- Jackson R.S. (2014). Wine science, principles and applications, fourth edition, Elsevier inc. United Kingdom
- Maletić E., Jasminka Karoglan Kontić J., Pejić I. (2003). Vinova loza ampelografija ekologija oplemenjivanje. Školska knjiga, d.d. Zagreb
- Mirošević N., Turković Z. (2003). Ampelografski atlas, Golden marketing Tehnička knjiga, Zagreb
- Mirošević N., Karoglan Kontić J. (2008). Vinogradarstvo, Nakladni zavod Globus, Zagreb
- Ribereau – Gayon, P., Glories Y., Maujean, A., Dubourdieu, D., (2006). handbook of Enology Volume 2 The Chemistry of wine Stabilization and treatments. John Wiley and sons, Ltd. England
- Song C., Wang C., Xie S., Zang Z. (2018). Effects of leaf removal and cluster thinning on berry quality of *Vitis vinifera* cultivars in the region of Weibei Dryland in China. *Journal of Integrative Agriculture* 17(7): 1620-1630

Utjecaj prorjeđivanja grozdova kultivara Merlot i Cabernet Sauvignon (*Vitis vinifera* L.) na kakvoću mošta

Sažetak

Cilj rada je prikazati u utjecaj redukcije uroda na kemijski sastav mošta crnih kultivara vinove loze (Merlot i Cabernet Sauvignon). Istraživanje je provedeno u vinogradu i laboratoriju Veleučilištu u Požegi tijekom 2019. godine. Prorjeđivanje grozdova obavljeno je pred početak fenofaze dozrijevanja grožđa. Na svakoj rodnoj mladici ostavljen je po jedan grozd iz čega proizlazi da je urod reduciran za 25% na kultivaru Cabernet sauvignon odnosno 34% na kultivaru Merlot. Statističkom obradom podataka utvrđeno je da je provedeni ampelotehnički zahvat imao značajan utjecaj na prosječni sadržaj šećera, ukupnih kiselina i pH vrijednost kod kultivara Cabernet Sauvignon. Iako su vidljive razlike među prosječnim vrijednostima ostalih parametara među tretmanima one nisu statistički značajne. Analizom dobivenih parametara može se reći da u 2019. godini u danim okolinskim uvjetima nije bio opravdan zahvat prorjeđivanja grozdova na predmetnim kultivarima.

Ključne riječi: Merlot, Cabernet Sauvignon, prorjeđivanje grozdova, kemijski sastav mošta, Vinogorje Kutjevo